


TrainingQuiz



- ✓ Online Tool, Convenient, easy to study.
- ✓ Instant Online Access
- ✓ Supports All Web Browsers
- ✓ Practice Online Anytime
- ✓ Test History and Performance Review
- ✓ Supports Windows / Mac / Android / iOS, etc.



- ✓ Installable Software Application
- ✓ Simulates Real Exam Environment
- ✓ Builds Exam Confidence
- ✓ Supports MS Operating System
- ✓ Two Modes For Practice
- ✓ Practice Offline Anytime



- ✓ Printable PDF Format
- ✓ Prepared by IT Experts
- ✓ Instant Access to Download
- ✓ Study Anywhere, Anytime
- ✓ 365 Days Free Updates
- ✓ Free PDF Demo Available



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee

Full refund if you fail the corresponding exam in 90 days after purchasing. And Free get any another product.



Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

<http://www.trainingquiz.com/>

The best exam preparation website for helping you to obtain dreaming certifications

Exam : **600-211**

Title : Implementing Cisco Service
Provider Mobility CDMA
Networks (SPCDMA)

Vendor : Cisco

Version : DEMO

NO.1 Where is ECS rulebase referenced on the Cisco ASR 5000 PDSN in order to apply rules defined in active-charging service?

- A. Subscriber template
- B. AAA group
- C. APN profile
- D. PDSN service

Answer: A

NO.2 Which interface carries signaling information between PCF and PDSN?

- A. A8
- B. A9
- C. A10
- D. A11

Answer: D

NO.3 What is the signaling interface between the EPC MME and the evolved HRPD Access Network (eAN/ePCF)?

- A. S103
- B. X2
- C. S101
- D. H1
- E. A10
- F. A11

Answer: C

NO.4 Which access network element is responsible for delivering the IPv4 address and/or IPv6 prefix to the UE?

- A. 3GPP AAA
- B. aAN/ePCF
- C. 3GPP2 AAA
- D. HSGW
- E. PDN-GW

Answer: D

NO.5 Which network element sends the Re-Auth-Request?

- A. OCS
- B. HA
- C. PDSN
- D. RNC

Answer: A

NO.6 Which Cisco ASR 5000 CLI options are available actions that can be taken when NAT allocation is in progress?

- A. forward or buffer
- B. drop or continue
- C. buffer or drop
- D. buffer or continue

Answer: C

NO.7 Which network element initiates the Gateway Control and QoS Rules Provision Procedure (specified in TS23.203) by sending a message with the QoS rules and Event Trigger information for network initiated dedicated bearer activation in eHRPD?

- A. HSGW
- B. 3GPP2 AAA
- C. PCRF
- D. aAN/ePCF
- E. 3GPP AAA
- F. UE

Answer: C

NO.8 DRAG DROP

Drag the Cisco ASR 5000 Diameter applications on the left to match the associated interfaces on the right.

Diameter authentication	Gy interface
Accounting policy for off-line charging	Gx interface
IMS Authorization	Rf interface
Diameter Credit-Control Application	STa interface

Answer:

Drag the Cisco ASR 5000 Diameter applications on the left to match the associated interfaces on the right.

Diameter authentication	Diameter Credit-Control Application
Accounting policy for off-line charging	IMS Authorization
IMS Authorization	Accounting policy for off-line charging
Diameter Credit-Control Application	Diameter authentication